

Early Pregnancy Algorithm for Key Tasks

Quick
Links

Dating


Lifestyle
Factors

Blood & Urine
Tests


Genetic
Screening

Billing








REFERRAL TO A MATERNITY CARE PROVIDER

- Confirm pregnancy and patient's intention to continue with pregnancy.
- Discuss all options for maternity care provider: FP, midwife, OB, appropriate to patient's health & preferences.
- If patient wishes to explore options, email [Pathways Medical Care Directory – Find a Maternity Provider](#) 
- Click [here](#) to review referral requirements in Pathways for your local maternity care clinics

DATING

Task	Timing	Tools & Services	Email
Calculate Estimated Date of Delivery (EDD)	<ul style="list-style-type: none"> • Initial visit 	Estimated Date of Delivery Calculator (PSBC)	
Confirm date ! Time Sensitive	<ul style="list-style-type: none"> • Book dating Ultrasound @ initial visit • Dating Ultrasound to be done @ 8-13 weeks +/- (NT) Nuchal Translucency • Consider giving patient additional requisition to book a detailed US for 18-20 weeks if expect delays in booking with maternity provider 	Ultrasound facilities in your area (List)	

LIFESTYLE FACTORS

Task	Tools & Patient Info	Email
Discuss supplements: <ul style="list-style-type: none"> • Folic Acid: 0.4 mg/day routine. 1mg/day if DM, antiepileptics, MTX, malabsorption 4mg per day if previous Spina Bifida • Vitamin D: 600 IU/day total in diet + supplement, 800 IU/day if risk factors or north of 55° latitude 	Guideline and Patient Info: Folic Acid - Preconception and Pregnancy (SOGC)	
Provide General Information about Pregnancy and Diet & Exercise	Send email bundle of both items below: <ul style="list-style-type: none"> • Nutrition & Physical Activity in Pregnancy • Baby's Best Chance - Parents' Handbook 	  
Provide additional information Note: Mother to Baby Fact Sheets provide FAQs about common exposures during pregnancy and breastfeeding, including medications, cosmetics etc	Send email bundle of all 3 items below: <ul style="list-style-type: none"> • Food Safety During Pregnancy (HealthLinkBC) • Breastfeeding - 10 great reasons to breastfeed • Mother to Baby Fact Sheets 	  
Ask About Alcohol/Substance/ Tobacco	<ul style="list-style-type: none"> • Alcohol Use in Pregnancy - TWEAK Questions • CAGE Questions Adapted + Drug Use (CAGE-AID) 	
Consider Low Dose ASA for Pre-eclampsia Prevention if High Risk	<ul style="list-style-type: none"> • ASA for Pre-eclampsia Prevention - Risk Stratification Table & Recommendations (SOGC) 	
COVID Information BCCDC Recommendations for antepartum, intrapartum and postpartum care	<ul style="list-style-type: none"> • COVID 19 - Vaccination in Pregnancy (SOGC) 	
Assess Social Risk Factors	<ul style="list-style-type: none"> • Poverty Intervention Tool - BC 	
Offer connection to Health Authority Prenatal Support Services VCH Public Health Vulnerable Prenatal Support  FHA Best Beginnings  VIHA Right From the Start  IHA Healthy From The Start  NH Healthy Start 		

BLOOD & URINE TESTS

Recommendations	Forms	Email
Recommend to ALL Women: <ul style="list-style-type: none"> CBC, Blood ABO Group, Rh factor & antibody screen, HBsAg, STS/RPR, HIV, Rubella titre Urine C&S, Chlamydia and gonorrhea (urine, cervical or vag self-collection if avail.) 	Standard Prenatal lab requisition	
Additional Tests to Recommend/offer to Women with Risk Factors: <ul style="list-style-type: none"> HbA1c if at risk for Type 2 Diabetes anti-HCV if at risk for Hepatitis C TSH if clinically indicated Ferritin if at risk for anemia Varicella antibody if history uncertain Thalassemia and Hemoglobinopathy carrier screening for all women <u>EXCEPT</u>: Japanese, Korean, Northern European Caucasian, First Nations or Inuit Tay Sachs carrier screen if patient and partner are/ may be of Ashkenazic Jewish descent 	Tay Sachs Supp Info Requisition (submit with a standard lab requisition)	Tay Sachs screen info ✉

GENETIC SCREENING

Offer prenatal genetic screening to ALL women– **Note options are time sensitive!**
 Offer appropriate test(s) based on patient’s age, when she accesses care, local resources, and her choice.
 The most common prenatal genetic screen ([SIPS](#)), involves two blood tests, one in 1st trimester and one 2nd trimester
This screening lets patients know their chance of having a baby with one of these conditions:
 - Down syndrome - Trisomy 18 - Open Neural Tube Defects

PATIENT INFORMATION about prenatal genetic screening

General Info:		Shared Decision Tools:	
<ul style="list-style-type: none"> Prenatal Genetic Screening - FAQ's (PSBC) ✉ Prenatal Genetic Screening - Info Multilingual ✉ 	<ul style="list-style-type: none"> Prenatal Genetic Screening SIPS & IPS ✉ Prenatal Screening - A Visual Aid ✉ 	<ul style="list-style-type: none"> Prenatal Genetic Screening - What does a Positive Screen Result Mean? - (PSBC) ✉ 	<ul style="list-style-type: none"> Prenatal Genetic Screening - Understanding Publicly Funded & Private Options (PSBC) ✉ Non-Invasive Prenatal Testing - NIPT - self pay sites in BC (PS BC) ✉
Email bundle of both items above (Note: private pay NIPT requisition below in Private Pay Options table) ✉			

PUBLICLY FUNDED Prenatal Genetic Testing Based on Gestational Age at First Prenatal Visit

Maternal Age or Risks	< 13weeks + 6days	14- 20 weeks + 6 days	>21 weeks
<35 yrs	SIPS (Serum Integrated Prenatal Screen) Part 1 at 9 -13+6 weeks Part 2 at 14-20 +6 weeks.	SIPS requisition: pdf OSCAR	Quad Screen (SIPS Part 2) Detailed US
35-39 yrs	IPS (i.e SIPS+NT) Integrated Prenatal Screen: SIPS + Nuchal Translucency (NT) ultrasound Done at 11-13 +6 weeks. Or SIPS alone if NT not avail	View your region’s: Sites offering Publicly Funded NT To order NT: Write NT on any U/S req & add EDD	Quad Screen (SIPS Part 2) Detailed US and amnio

40+ yrs	IPS or SIPS if NT not avail or CVS or amnio without prior screen		Quad or amnio without prior screen	Detailed US and amnio
Personal or FHx that increases risk of Downs or trisomy 18 or trisomy 13	NIPT or SIPS if NT not avail or CVS or amnio without prior screen	NIPT Requisition - Dynacare Harmony Requesting publicly funded NIPT requires an authorization code	NIPT or amnio without prior screen	Detailed US and NIPT or amnio

PRIVATE PAY Options for Prenatal Genetic Testing

Timing	Clinician and patient information	Form	Email
NIPT from 9 wks on	<ul style="list-style-type: none"> Non-Invasive Prenatal Testing - NIPT - self pay sites in BC (Perinatal Services BC) 	<ul style="list-style-type: none"> NIPT Req - Lifelabs Panorama NIPT Req - Dynacare Harmony 	List of sites for patient ✉
FTS or NT @ 11-14 wks	<ul style="list-style-type: none"> View your region's sites for: Private Pay Nuchal Translucency 	To order NT, write NT on any US req, add the EDD & enclose an earlier US if available	

OVERVIEW of Available Tests for Prenatal Genetic Screening

Test	Details	Timing
SIPS	Serum Integrated Prenatal Screen: 2 blood tests. Results for SIPS and IPS are available 10 days after the second blood test which could be as early as the 14th week of pregnancy.	<ul style="list-style-type: none"> Part 1 @ 9 -13+6 wks Part 2 @ 14-20 +6 wks Publicly funded
NIPT	Non-invasive Prenatal Screen: blood test that measures the amount of cell-free fetal DNA circulating in maternal serum. NIPT provides a screen risk for Down syndrome (trisomy 21), trisomy 18 & trisomy 13. NIPT does not test for neural tube defects. Detailed US @20 weeks tests for neural tube defects. Results of NIPT could be available as early as the 10-11th week of pregnancy depending on timing of testing.	<ul style="list-style-type: none"> (\$) Private pay from 9-10 wks Publicly funded in Second Trimester if screen + SIPS/IPS/QUAD.
IPS	Integrated Prenatal Screen: SIPS + Nuchal Translucency (NT) IPS includes two-part SIPS bloodwork as above, plus nuchal translucency NT ultrasound	<ul style="list-style-type: none"> SIPS Bloodwork as above NT US @ 11-13 +6 wks. Publicly funded age 35 or more
NT	Nuchal Translucency: Ultrasound to measure the thickness of the fluid buildup under the skin at the back of the developing baby's neck. If the fluid buildup is thicker than normal, it can be an early sign of Down syndrome, trisomy 18, or open neural tube defects. To order from available sites , write NT on any US req, add Estimated Date of Delivery (EDD) & enclose an earlier Ultrasound	<ul style="list-style-type: none"> 11 - 14 weeks. Part of IPS – publicly funded if age 35 or more, or Part of FTS – (\$) private pay
Quad Screen	Quad Screen: SIPS Part 2	<ul style="list-style-type: none"> 14-20 +6 wks Publicly funded
FTS	First Trimester Screening: blood test for PAPP-A & free-BHVG + US for Nuchal Translucency (NT), Nasal Bone (NB), Fetal Heart Rate (FHR) & Ductus Venosus Flow (DV). Results could be available as early as the 11th week.	<ul style="list-style-type: none"> (\$) Private pay at 11-14 wks

BILLING

Related Billing Information

Ensure you have read all the fee details before billing.

Note this algorithm is a clinical support tool and use of it is not a requirement for billing this fee.

14002	Maternity Care Risk Assessment – billable in addition to a visit – read **full fee details** Payment for a Maternity Care Risk Assessment based on the BC Antenatal Record, including review of gestationally appropriate screening interventions, pregnancy risks, and patient comorbidities.	\$50
--------------	---	------